



23 April 2007

Mapping and GIS Product Compatibility List

This document outlines the compatibility between Trimble® field devices, versions of Trimble field software, versions of the GPS Pathfinder® Office software, and Microsoft® Windows® operating systems. As Trimble releases new hardware products or new versions of software, this document will be updated to reflect the changes.

The Mapping and GIS product compatibility list is broken down into the following categories:

- [Field device / field software - office software](#)
- [Office software - versions of the Microsoft Windows operating system](#)
- [Data Transfer utility](#)
- [Microsoft ActiveSync technology](#)
- [Windows Mobile Device Center for the Windows Vista operating system](#)
- [TerraSync software](#)
- [GPS Analyst extension for ESRI ArcGIS software](#)
- [GPSCorrect extension for ESRI ArcPad software](#)
- [GPS Pathfinder Controller software and GPS Controller software](#)
- [TrimPix technology](#)
- [Asset Surveyor software](#)
- [ASPEN software](#)
- [Trimble Reference Station \(TRS\) software](#)

**This document is for informational purposes only and is not a legally binding agreement or offer.
Trimble makes no warranties and assumes no obligations or liabilities hereunder.**

Trimble Navigation Limited, 10355 Westmoor Drive, Suite #100, Westminster, CO 80021, USA

© 2007, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo, ASPEN, Asset Surveyor, GeoExplorer, and GPS Pathfinder are trademarks of Trimble Navigation Limited registered in the United States Patent and Trademark Office and other countries. GPS Analyst, GPSCorrect, H-Star, ProXH, ProXT, TDC1, TDC2, TerraSync, Trimble Geomatics Office, Trimble Survey Controller, TrimPix, TRS, TSC1, TCS2, and TSCe are trademarks of Trimble Navigation Limited. Recon and Ranger are either registered trademarks or trademarks of Tripod Data Systems Inc. MediaMapper is a trademark of Red Hen Systems, Inc. and is used under license. Microsoft, ActiveSync, Windows, Windows Mobile, Windows NT, and Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.



Field device / field software - office software

When Trimble releases new field devices and versions of field software, it often releases a new version of GPS Pathfinder Office software to support the new features introduced into the field devices collectors and field software. To ensure compatibility between your field device, field software, and the GPS Pathfinder Office software, it is important that you have the correct version of each. The following table outlines the versions of field devices and field software that is compatible with each version of the GPS Pathfinder Office software.

Trimble field device and field software	Version	GPS Pathfinder Office software version							
		2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00
GIS Surveyor software	–	✓	✓	✓	✓	✓	✓	✓	✓
GPS Pathfinder Basic Series	–	✓	✓	✓	✓	✓	✓	✓	✓
ASPEN® software	2.11	✓	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor® software	3.16 for MC-V	✓	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor software	3.40 for TDC1™	✓	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor software	3.40 for TDC2™	✓	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor software	4.04 for TSC1™	✓	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor software	5.00 for TSC1	-	✓	✓	✓	✓	✓	✓	✓
Asset Surveyor software	5.12 for TSC1	-	-	✓	✓	✓	✓	✓	✓
Asset Surveyor software	5.27 for TSC1	-	-	-	✓	✓	✓	✓	✓
GeoExplorer® handheld I and II	2.20	✓	✓	✓	✓	✓	✓	✓	✓
GeoExplorer handheld 3 and 3c	1.04	-	✓	✓	✓	✓	✓	✓	✓
GeoExplorer handheld 3 and 3c	1.20	-	-	-	✓	✓	✓	✓	✓
GPS Pathfinder Tools SDK	All versions	✓	✓	✓	✓	✓	✓	✓	✓
MediaMapper™ software	3.1	-	-	-	✓	✓	✓	✓	✓
GPSCorrect™ extension for ESRI ArcPad software	1.01	-	-	-	-	✓	✓	✓	✓
GPSCorrect extension for ESRI ArcPad software	1.12 ¹	-	-	-	-	✓	✓	✓	✓
GPSCorrect extension for ESRI ArcPad software	2.00 ¹	-	-	-	-	-	-	✓	✓
GPSCorrect extension for ESRI ArcPad software	2.20 ¹	-	-	-	-	-	-	-	✓
TerraSync™ software	1.10	-	-	✓	✓	✓	✓	✓	✓
TerraSync software	1.22	-	-	-	✓	✓	✓	✓	✓
TerraSync software	2.10	-	-	-	-	✓	✓	✓	✓
TerraSync software	2.2x	-	-	-	-	✓	✓	✓	✓
TerraSync software	2.3x	-	-	-	-	✓	✓	✓	✓
TerraSync software	2.4x	-	-	-	-	-	✓	✓	✓
TerraSync software	2.53	-	-	-	-	-	-	✓	✓
TerraSync software	2.6x	-	-	-	-	-	-	✓	✓
TerraSync software	3.0x	-	-	-	-	-	-	-	✓

Trimble field device and field software	Version	GPS Pathfinder Office software version							
		2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00
GPS Pathfinder Community Base Station	2.68	✓	✓	✓	✓	✓	✓	✓	✓
Trimble Reference Station	1.05	✓	✓	✓	✓	✓	✓	✓	✓

¹The H-Star™ processing options are only available if the GPS receiver used to collect the data has H-Star technology. H-Star postprocessing requires version 3.10 or later of the GPS Pathfinder Office software, or version 1.10 or later of the GPS Analyst™ extension for ESRI ArcGIS software.

Office software - versions of the Microsoft Windows operating system

When Microsoft releases a new operating system, the latest version of the GPS Pathfinder Office software may not run correctly on that operating system. The following table outlines the Windows operating systems that each version of the GPS Pathfinder Office software supports.

Windows operating systems	GPS Pathfinder Office software version							
	2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00
Windows 3.1 x	-	-	-	-	-	-	-	-
Windows 95	✓	✓	✓	✓	✓	✓	-	-
Windows 98	-	✓	✓	✓	✓	✓	-	-
Windows Me	-	-	-	✓	✓	✓	-	-
Windows NT® 3.51	-	-	-	-	-	-	-	-
Windows NT 4 (* Service pack 4 or greater)	✓	✓	✓*	✓*	✓*	✓*	✓*	-
Windows 2000	-	-	✓	✓	✓	✓	✓	✓
Windows XP	-	-	-	-	✓	✓	✓	✓
Windows XP Tablet PC edition	-	-	-	-	-	✓	✓	✓
Windows XP Professional x64 edition	-	-	-	-	-	-	-	✓
Windows Vista™	-	-	-	-	-	-	-	✓

Note – The Windows Vista operating system, 32- and 64-bit are both supported.

Note – Windows Vista Starter edition is not supported.

Data Transfer utility

The Data Transfer utility transfers data from a range of field devices to your office computer. You can then import the data into the GPS Pathfinder Office software or the Trimble Geomatics Office™ software using the Microsoft ActiveSync® technology.

Devices that you can download data from include:

- All Mapping and GIS field devices
- Trimble Survey Controller™ data collector
- Trimble Series 3600 instruments
- Trimble Series 4000 and 5000 receivers
- Trimble Series 5600 instruments

The Trimble Data Transfer software is available free from the Trimble website at www.trimble.com/datatransfer.html.

Note – Although you can use the Data Transfer utility to download data from any Mapping & GIS field device irrespective of the version of the GPS Pathfinder Office software you have, the files from your field device may not be compatible with your version of the GPS Pathfinder Office software because of the functionality in that field device. Check [Field device / field software - office software](#) for compatibility information.

Microsoft ActiveSync technology

The current version of Microsoft ActiveSync technology is version 4.5 (build 5096). You can download this, free of charge, from <http://www.microsoft.com/windowsmobile/activesync/default.mspx>.

Note – You must have ActiveSync version 4.2 or later installed on your computer when you connect to any Microsoft CE 3.0, CE .NET, Pocket PC 2003, or Windows Mobile operating system.

Windows Mobile Device Center for the Windows Vista operating system

Windows Mobile Device Center is only compatible with devices powered by Windows Mobile 2003 software for Pocket PCs and later versions. You can download the current version of the Windows Mobile Device Center, free of charge, from <http://www.microsoft.com/windowsmobile/devicecenter.mspx>.

TerraSync software

The following tables list the compatibility between all versions of Trimble TerraSync field software and current ranges of Trimble field computers' operating systems as well as GPS Pathfinder receivers.

TerraSync software - current ranges of Trimble field computers' operating systems

TerraSync software versions	Desktop computers				Field computers												
	Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	Trimble Recon®			TSCe		Trimble Ranger™		Juno™ ST	GeoExplorer 2003 series		GeoExplorer 2005 series		
					CE .Net	Pocket PC 2003	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003 SE	Windows Mobile 5.0 software	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003	Windows Mobile 5.0 software	
1.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1.2x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.10	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.11	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.20	-	✓	✓	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
2.21	-	✓	✓	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
2.30	-	✓	✓	-	-	-	-	✓	-	-	-	-	-	✓	✓ ¹	-	-
2.31	-	✓	✓	-	✓	-	-	✓	-	-	-	-	-	✓	-	-	-
2.4x	-	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-	✓	✓	✓	-
2.53	-	✓	✓	-	✓	✓	✓	-	✓	✓	✓	-	-	✓	✓	✓	✓
2.6x	-	✓	✓	-	✓	✓	✓	-	✓	✓	✓	-	-	✓	✓	✓	✓
3.00	-	✓	✓	✓	-	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓
3.01	-	✓	✓	✓	-	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	✓

¹The web package version of TerraSync software version 2.30 supports GeoExplorer CE devices running Microsoft CE .Net. The CD version of TerraSync software version 2.30 does not support GeoExplorer CE devices running Windows CE .Net.

Note – The Windows Vista operating system, 32- and 64-bit are both supported.

Note – Windows Vista Starter edition is not supported.

TerraSync software - GPS Pathfinder receivers

TerraSync software versions	GPS Pathfinder receivers													
		Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series	
	Receiver part number	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
	Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31 ¹	1.70 or later	1.70 or later	1.52A	1.80	1.80
1.01	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
1.2x	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
2.10	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
2.11	✓	-	-	✓	✓	✓	✓	✓	✓ ²	✓	✓	-	-	
2.20	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
2.21	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
2.30	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
2.31	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
2.4x	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
2.53	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.60	✓	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.61	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3.0x	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	

¹Depending on the last two digits of the part number, some receivers will only accept version 1.11 of the firmware.

²When the receiver is communicating with TerraSync software version 2.11, the antenna icon flashes continuously even though the antenna is connected and the receiver is tracking satellites. This is a known issue when using TerraSync software 2.11 or earlier with a GPS Pathfinder Pro XR receiver (P/N 46090-11) or with a GPS Pathfinder Pro XRS receiver (P/N 33302-53). This issue does not affect data collection. To resolve it, you should upgrade to TerraSync software version 2.20 or later.

GPS Analyst extension for ESRI ArcGIS software

The following tables list the compatibility between all versions of Trimble GPS Analyst™ extension for ESRI ArcGIS software, versions of the Microsoft Windows operating system, and versions of the ESRI ArcGIS desktop software.

GPS Analyst extension for ESRI ArcGIS software - versions of the Microsoft Windows operating system

Note – This table does not reflect the compatibility between ESRI ArcGIS software and the Microsoft Windows operating systems (or any other operating systems supported by ESRI).

GPS Analyst extension versions	Desktop computers									
	Windows 95	Windows 98	Windows ME	Windows NT4	Windows 2000	Windows XP	Windows XP Tablet	Windows XP Professional x64 Edition	Windows Vista	
1.00	-	-	-	✓ ¹	✓	✓	✓	-	-	
1.10	-	-	-	✓ ¹	✓	✓	✓	-	-	
1.20	-	-	-	✓ ¹	✓	✓	✓	-	-	
2.00	-	-	-	✓ ¹	✓	✓	✓	-	-	
2.10	-	-	-	-	✓	✓	✓	-	-	

¹Microsoft Windows NT4 service pack version 6a is required.

GPS Analyst extension for versions of the ESRI ArcGIS desktop software

GPS Analyst extension versions	ESRI ArcGIS desktop version						
	8.1	8.2	8.3	9.0	9.1	9.2	
1.00	-	-	✓ ¹	✓ ¹	-	-	
1.10	-	-	✓ ¹	✓ ¹	✓	-	
1.20	-	-	✓ ¹	✓ ¹	✓	-	
2.00	-	-	-	✓ ¹	✓ ²	-	
2.10	-	-	-	✓ ¹	✓ ²	✓ ³	

¹ESRI ArcGIS Desktop Service Pack 3 required.

²ESRI ArcGIS Desktop Service Pack 2 required.

³ESRI ArcGIS Desktop Service Pack 1 required.

GPSCorrect extension for ESRI ArcPad software

The following tables list the compatibility between all versions of Trimble GPSCorrect extension for the ESRI ArcPad® field software, the current range of Trimble GPS Pathfinder receiver firmware and versions of the Microsoft Windows Operating System.

GPSCorrect extension for ESRI ArcPad software - versions of Microsoft Windows operating system

GPSCorrect extension versions	Desktop computers				Field computers												
	Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	Trimble Recon		TSCe		Trimble Ranger		Juno ST	GeoExplorer 2003 series		GeoExplorer 2005 series			
					Pocket PC 2003	Windows Mobile 5.0 software	CE 3.0	CE .Net ¹	Pocket PC 2003 SE	Windows Mobile 5.0 software	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003	Windows Mobile 5.0 software		
1.00	-	✓	✓	-	-	-	-	✓	-	-	-	-	✓	-	-	-	-
1.01	-	✓	✓	-	✓	✓	-	✓	✓	-	-	-	✓	✓	✓	-	-
1.12	-	✓	✓	-	✓	✓	✓	-	✓	✓	✓	-	-	✓	✓	-	✓
2.00	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	✓
2.1x	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	✓
2.20	-	✓	✓	-	-	✓	✓	-	-	✓	✓	✓	-	✓	✓	-	✓

¹CE . Net versions earlier than version 4.2 are not supported by ArcPad software version 7.00 or the GPS correct extension version 2.10

GPSCorrect extension for versions of ESRI ArcPad software

GPSCorrect extension versions	ESRI ArcGIS desktop version		
	6.0.3	7.0 SP1	7.0.1
1.0x	✓	-	-
1.12	✓	-	-
2.00	-	✓	✓
2.1x	-	✓	✓
2.20	-	✓	✓

GPScorrect extension for ESRI ArcPad software - GPS Pathfinder receivers

GPScorrect extension versions	GPS Pathfinder receivers													
		Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series	
	Receiver part number	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
	Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80	1.80
1.00	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
1.01	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
1.12	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.00	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.10	✓	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.11	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.20	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Additional information regarding system requirements for ESRI ArcPad is available on ArcPad's website <http://www.esri.com/software/arcpad/index.html>.

GPS Pathfinder Controller software and GPS Controller software

The following tables list the compatibility between Trimble GPS Pathfinder Controller software and GPS Controller software and the current range of GPS Pathfinder receivers as well as versions of Microsoft Windows operating system.

GPS Pathfinder Controller and GPS Controller software - versions of Microsoft Windows operating system

	Desktop computers								Field computers											
									Trimble Recon	TSCe	Trimble Ranger	Juno ST	GeoExplorer 2003 series	GeoExplorer 2005 series						
	Windows 95	Windows 98	Windows ME	Windows NT 4.0	Windows 2000	Windows XP	Windows Vista	CE . NET	Pocket PC 2003	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003 SE	Windows Mobile 5.0 software	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003	Windows Mobile 5.0 software	
GPS Pathfinder Controller software version	1.31	✓	✓	✓	✓	✓	✓	-	-	-	✓	-	-	-	-	✓	-	-	-	-
GPS Controller software version	2.11	-	-	-	✓ ¹	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓	✓

¹Windows 2000 Professional Service Pack 3 is required.

GPS Pathfinder Controller and GPS Controller software - GPS Pathfinder receivers

GPS Pathfinder Controller software	GPS Pathfinder receivers													
		Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series	
	Receiver part number	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
	Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80	1.80
1.31	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
GPS Controller software	2.11	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	

TrimPix technology

The following table lists the compatibility between the TrimPix™ technology and the Mapping & GIS data collectors as well as versions of Microsoft Windows operating system.

TrimPix technology - versions of Microsoft Windows operating system

TrimPix technology	Desktop computers				Field computers											
					Trimble Recon		TSCe		Trimble Ranger		Juno ST	GeoExplorer 2003 series		GeoExplorer 2005 series		
	Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	CE . NET	Pocket PC 2003	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003 SE	Windows Mobile 5.0 software	Windows Mobile 5.0 software	CE 3.0	CE .Net	Pocket PC 2003	Windows Mobile 5.0 software
1.10	-	-	✓	✓	-	-	✓	-	-	-	✓	✓	-	-	-	✓

*Note – You need a desktop computer to **install** the TrimPix technology onto the field computer but you **cannot run** the TrimPix technology on the desktop computer.*

Asset Surveyor software

The table below lists the compatibility between all versions of Asset Surveyor field software and the current range of Trimble GPS Pathfinder receiver firmware.

Asset Surveyor software	GPS Pathfinder receivers													
		Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series	
	Receiver part number	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
	Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80	1.80
3.40	-	-	-	✓	-	-	✓	✓	-	✓	✓	-	-	
4.04	-	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
5.00	-	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
5.12	-	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	
5.27	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	

ASPEN software

This table lists the compatibility between ASPEN field software and current Trimble GPS Pathfinder receiver firmware versions.

Aspen software	GPS Pathfinder receivers													
		Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series	
	Receiver part number	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
	Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80	1.80
2.11	-	-	-	✓	-	✓	✓	✓	✓	✓	✓	-	-	

Trimble Reference Station (TRS) software

The following tables list compatibility between Trimble Reference Station (TRS™) software, versions of Microsoft Windows Operating System and Trimble GPS Pathfinder receivers.

Trimble Reference Station software - versions of Microsoft Windows operating system

	Desktop computers								
		Windows 95	Windows 98	Windows ME	Windows NT 4.0	Windows 2000	Windows XP	Windows XP Professional x64 Edition	Windows Vista
TRS software	1.05	✓	✓	✓	✓	✓	-	-	-

Trimble Reference Station software - GPS Pathfinder receivers.

TRS software version	GPS Pathfinder receivers											Pro series	
	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR		Pro XRS		ProXT	ProXH	
		Receiver firmware version											
1.05	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00
		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80	1.80
	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-